


KEY

- SW --- PROPOSED SURFACE WATER DRAINAGE TWINWALL PIPE
- PROPOSED SURFACE WATER DRAINAGE SLOT DRAIN
- PROPOSED SURFACE WATER DRAINAGE FRENCH DRAIN
- PROPOSED SURFACE WATER CATCHPIT
- PROPOSED SURFACE WATER SOAKAWAY

NOTES

1. ALL DIMENSIONS IN MILLIMETRES AND ALL LEVELS IN METRES ABOVE ORDNANCE DATUM UNLESS SHOWN OTHERWISE.
2. SURFACE WATER DRAINAGE PIPE DIAMETERS AND INVERT LEVELS TO BE CONFIRMED BY DETAILED DESIGN.
3. GROUND CONDITIONS CONSIST OF LOOSE SHALE, THEREFORE SOAKAWAYS DEEMED APPROPRIATE. INFILTRATION TESTING TO BE UNDERTAKEN IN ACCORDANCE WITH BRE DIGEST 365 SPECIFICATION PRIOR TO SIZING SOAKAWAYS.
4. SOAKAWAYS SHALL CONSIST OF STONE FILL WITH 30% VOIDS WRAPPED IN PERMEABLE GEOTEXTILE.



REPRODUCED FROM OS MASTERMAP 1:2500 SCALE BY PERMISSION OF ORDNANCE SURVEY ON BEHALF OF THE CONTROLLER OF HER MAJESTY'S STATIONERY OFFICE. © CROWN COPYRIGHT. ALL RIGHTS RESERVED. LICENCE NUMBER 100043718.	SCHEME MNYDD TY MAWR	SKETCH TITLE PODS PROPOSED SURFACE WATER DRAINAGE STRATEGY	DRAWING BY. G AP GWYNDAF	DATE 20/07/2021	DRAWING NO. 0012-01
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------	----------------------------------------------------------------------	---------------------------------	------------------------	----------------------------